References

1. Abdel-Ghaffar, A.A.; Ghoneim, K.S.; Amer, M.S.; Bream, A.S.; Al-Dali, A.G. and Hamadah, Kh.Sh. (2006): Effects of certain insect growth regulators and plant extracts on carbohydrate metabolism in the house fly *Musca domestica* (Diptera: Muscidae). Egypt. J. Biomed.Sci., 21:206-220.
2. Anonymous, 1997. MATCH (Lufenuron) IPM Fitness and Selectivity, Novartis AG, Basel, Switzerland.
3. Amani, S. Khaled: 2009. Ultrastructural changes in integument of *Tribolium castaneum* (Coleoptera:tenebrionidae) induced by chitin synthesis inhibitor (IGR) chlorfluazuron. Egypt. Acad. J. biolog. Sci., 2 (1): 237- 246 .
4. Aida Ghasemi, Jalal Jalali Sendi Mohammad Ghadamyari, 2010. physiological and biochemical effect of pyriproxyfen on indian meal moth *plodia interpunctella* (Hübner) (Lepidoptera: Pyralidae) Vol. 50, No. 4.
5. Abo El-Mahasen, M.M.; Assar , A.A.; Khalil, M.E. and Mahmoud, S.H. 2010. Biological effects of some insect growth regulators on the house fly, *musca domestica* (diptera: muscidae). Egypt. Acad. J. biolog. Sci., 3 (2): 95-105.
6. Arora. M. S. 2007. Bioefficacy and Residue Study of Lufenoron on *Tribolium Castaeum* (Herbest) (Coleoptera: Tenebrionidae). (Ph. D. Thesis).
7. Buholzer, F., Draber, J., Bourgeois, F., and Guyer, W. 1992. A new acylurea insecticide. Med. Fac. Landbouww. Univ. Gent, CGA184’ 699. 57, 781-790.

8. Bakr, R.F.[1;] Ghoneim, K.S. [2], 2008. Efficiency of the chitin synthesis inhibitor lufenuron (cga-184699) on growth, development and morphogenesis of *Schistocerca gregaria* (orthoptera: acrididae). Egypt. Acad. J. biolog. Sci., 1 (1) 41- 57.
9. Batra, C.P. P.K. Mittal. P.K. T. Adaka & M.A. Ansari, September 2005. Efficacy of IGR compound Starycide 480 SC (Triflumuron) against mosquito larvae in clear and polluted water, J Vect Borne Dis 42, September 2005, pp. 109–116.
10. Casida, J.P. and Quistad, G.B. 1998. Golden age of insecticide research: past, present and future. Annu.Rev.Entomol., 43:1-16.
11. Dales M. J., Harding S., Freeman N. And Gaffney H, 1994. Insect growth regulators for the control of storedgrain insect pest. In Stored Product Protection. Proceedmg of the 6th International Workmg Conference on Stored Product Protection (Edited by Highley E., Wnght E. J., Banks H. J. and Champ B. R.) 765 - 769, Canberra, Australia.
12. Davis 95616, USA, 1995 Jul. DNA sequence and site of mutation of the GABA receptor of cyclodiene-resistant red flour beetle, Tribolium castaneum. Department of Environmental Toxicology, University of California, 111 (3):399-406.
13. Eisa. 1992. Persistence of IGRs against the rice weevil, Sitophilus oryzae in grain commodities. Phytoparasitica. 20: 7-13.
14. Elik, J. A 1994. Effect of chitin synthesis inhibitor chlorefluzon on immature development of Rhypertha Dominica. In stored product production: proceedings of the sixth international working conference on stored product production (Eds.) Highly E, Right E. J, Banks H. J. Champ B. K. pp. 773-776. Canberra, Australia.

15. FOURNET. F, SANNIER.C. AND N. MONTENY, 1993. Effect of Insect growth regularors OMS 2017 and Difflubenzuton on the reproductive potential of *Aedes aegypt*i .,Journal c$the *American Mosquito Control Association,* 9(4):426-430.

16. Ghoneim, K.S.; Amer, M.S.; Bream, A.S.; Al-Dali, A.G. and Hamadah, Kh.Sh. 2005. Quantitative protein responsiveness of Musca domestica (Diptera: Muscidae) to certain IGRs and plant extracts, Egypt.J.Biomed.Sci. 17:218-230.

17. Ishaya I. and Horowitz. In 1998 (2007). Insecticides with Novel Mode of Action. *Entomological Research* 37, 148–152.

18. Ishaya, I and Casida, J. E. 1974. Diety TH6040 alters composition and enzyme activity of housefly larval cuticle. Pestic Biochem Physiol. 4: 484-490.

19. Itoh, T. H. Kawada,A.Abe,Y.Eshita,Y.Rongsriyam and A.Igarshi; 1994. Utilization of Blood Fed Females of *Aedes aegypti* as a vehicle For The Transfer Of the Insect Growth Regulator Pyriproxyfen to Larval Habitats. (*Journal off the American Mosquito Control Association,* 10(3):344-347.

20. Kamsh Mondall, 1990. Effect of Triflumuren on the development of the red flour beetle, *Tribolium castaneum* Herbst (Coleoptera: Tenebrionidae), *Proceeduiqe of the 7th Intematumai Worhng Conference on Stored-product Protectum - Volume* 1.

21. Loschiavo, S. R. 1976. Effects of the synthetic insect growth regulator mothoprene on survival, development or reproduction of six species of stored-products insects. J. Eecon Entomol. 69: 395-399.

22. LEE, Dong –Kyu, March 2002. Mosquito Control Evaluations of an Insect Growth Regulator, Pyriproxyfen against *Culex pipiens pallens* (Diptera, Culicidae) Larvae in Marsh Area, Korea., KOREAN JOURNAL OF ENTOMOLOGY, Vol. 32, No. 1, pp. 37- 41.

23. Leanage KWWijayaratne,a,b Paul G Fieldsb⋆ and Frank H Arthurc, 2011. Effect of methoprene on the progeny production of *Tribolium castaneum* (Coleoptera: Tenebrionidae)†, (wileyonlinelibrary.com) DOI 10.1002/ps.2247.

24. Mian L. S. and Mulla, Ms. 1982. Residual Activity of IGRs against stored product beetle in grain commodities. Journal of Economic Entomology, 75 (4), 599-603.

25. Miyazaki M, Matsumura F, Beeman RW, 1995 Jul. DNA sequence and site of mutation of the GABA receptor of cyclodiene-resistant red flour beetle, Tribolium castaneum. 111(3):399-406.

26. Mark S. Hoddle, R. G. Van Driesche, S. M. Lyon, and J. P. Sanderson, 2001. Compatibility of Insect Growth Regulators with *Eretmocerus eremicus* (Hymenoptera: Aphelinidae) for Whitefly (Homoptera: Aleyrodidae) Control on Poinsettias Biological Control 20, 122–131.

27. Mahmuda Begum , Selina Parween & Saiful Islam Faruki. 2007. Combined effect of UV-radiation and triflumuron on the progeny of *Alphitobius diaperinus* (Panzer) (Coleoptera: Tenebrionidae) at differentstorage period .Univ. j. zool. Rajshahi Univ. Vol. 26, pp. 45-48 ISSN 1023-6104.

28. Patricia V. Pietrantonio, Grant E. Gibson Allison A. Strey, David Petzel, Timothy K. Hayes. 2000. Characterization of a leucokinin binding protein in *Aedes aegypti* (Diptera: Culicidae) Malpighian tubule *Department of Entomology, Texas A & M University, College Station, TX 77843-2475, USA* b *School of Medicine, Department of Biomedical Sciences, Creighton University, Omaha, NE 68178, USA.*, Insect Biochemistry and Molecular Biology 30 ,1147–1159.

29. Reynolds, S. E. and Samueles, R. I. 1996. Physiology and biochemistry of insects moulting fluid. Adv. Insect Physiol. 26: 157-232.

30. Srinivasan. R. & D. Dominic Amalraj. October 2003. Efficacy of insect parasitoid *Dirhinus himalayanus* (Hymenoptera: Chalcididae) & insect growth regulator, triflumuron against house fly, *Musca domestica* (Diptera: Muscidae). Indian J Med Res 118, pp 158-166.

31. Srinivasan. R. & D. Dominic Amalraj., 2004.Repellent Effect of Some Indigenous Plant Extracts Against *Trogoderma granarium* (Everts)., *Asian J. Exp. Sci., Vol. 18, No. 1&2, , 47-51*.

32. Soltani, N, Chebira, S., Delbecque, J. P. and Delachambre, J 1993 BIological activity of flucycloxuron, a novel benzoylphenylurea derivative on *Tenebrio molitor*. Comparison WIth diflubenzuron and tnflumuron. Expenentia. 49(12), 1088-1091.

33. Syafruddin, RyoArakawa, Kiyoshi,Kamimura and Fumihiko Kawamoto, 1990.Histopathologicale effects of an insect growth regulator, 4-phenoxypheny(lE S) -Z-(Z-pyridyloxy) propyl ether (pyriproxyfen), on the larvae of Aedes aegypti (Sanit. Zool. Vol. 4l No. 1 p. lS-22 Japan.

34. SHIRLEE MEOLA', KATHLEEN PALMA AND ROGER W. MEOLA. 1993 FLEA EGGS: TARGET OF THE NEW IGR ON-ANIMAL TREATMENTS (USDA, ARS, Food Animal Protection Research Laboratory, College Station, TX 77845, USA and2 Department of Entomology, Texas A&M University, College Station, TX 77843-2475, USA). (Proceedings of the First International Conference on Urban Pests. K.B. Wildey and Wm H.Robinson (editors). 1993).

35. Shotkoski F, Lee HJ, 1994 Nov. Functional expression of insecticide-resistant GABA receptors from the mosquito Aedes aegypti. Department of Entomology, University of Wisconsin-Madison 53706, 3 (4):283-7.

36. Severson DW, Anthony NM, 1997 Nov-Dec. Molecular mapping of insecticide resistance genes in the yellow fever mosquito (Aedes aegypti). Department of Animal Health and Biomedical Sciences, University of Wisconsin, Madison, USA, 88(6):520-4.

37. . Samir M. Abd-Alla, Moataza A. Dorrah, Mona M. Ali, and Taha T. M. Bassal, 2003. DNA polymorphism, and gross changes in D*rosophila melanogaster* affected by Lufenuron., *Efflatounia* DNA polymorphism, and gross changes in d*rosophila melanogaster* affected by lufenuron., *efflatounia*, 3: 25–31.

38. Shehata E. M. Shalby, Jan. 2006. Comparative Haematological and Hepatorenal Toxicity of IGR, Lufenuron And Profenofos Insecticide on Albino Rats. J. Egypt. Soc. Toxicol.Vol. 34: 85-98.

39. Saeideh loni, Maryam Moarefi, Hossain Farazmand, and Esmaeile Karami, January 2011.The Effect of Regulating Compounds on The Growth of *Tribolium confusum* Du Val (Coleoptera: Tenebrionidae) Munis Entomology & Zoology, 6 (1): 377-385., Mun. Ent. Zool. Vol. 6, No. 1 .

40. Tellam, R.L.Vuocolo,T,Johnson, S.E., Jarmey, J, Pearson, R.D. 2000. Insect chitin synthase cDNA sequence, gene organization and expression. Eur. J. Biochem. 267, 6025–6043.

41. *Williams in 1976,* Environmental and toxicological aspects of insect growth regulators. Environ Health Perspect. Vol, 14. Pp. 127–132.

42. Whiting, D. C., Jamieson, L. E., and Connolly, P. G. 2000. Pre‐and post harvest effects of lufenuron on *Epiphyas postvittana* (Lepidoptera: Tortricidae). *Journal of Economic Entomology 93 (3), 673-679.*

43. Zettlar, J. L. 1991. Pesticides resistance in *Tribolium Castanuim* and *T. Confusum* (Coleoptera: Tenebrionidae) from flour mills in United States. Journal of Economics Entomology **89 (3)**: 763-767.

44. Zhu, Y.C., Muthukrishnan, S., Specht, C.A., Dittmer, N., Kanost, M.R., Kramer, K.J., 2002. Sequence of a cDNA and expression of the gene encoding a putative epidermal chitin synthase of Manduca sexta. Insect Biochem. Mol. Biol. 32, 1497–1506.